

- NOTES:
1. This drawing is copyright of Wardman Brown.
 2. All dimensions to be verified on site prior to any shop or site works being commenced.
 3. Any discrepancies to be reported to the Designer BEFORE any work is put in hand.
 4. This drawing must be read in conjunction with relevant consultants and specialists drawings.
 5. This drawing must be read in conjunction with the drawings specified.



North Elevation as Proposed

PROPOSED MATERIALS

- NEW WALLS - Limewashed Forticrete Stone
- EXISTING WALLS - To be Limewashed
- WINDOWS & DOORS - New and existing to be replaced with coloured uPVC
- DETAILING - Cast Stone heads and cills to new windows and doors
- PITCHED ROOF - Existing roof to be made good with slates to match existing
- FLAT ROOF - Lead grey single ply membrane



West Elevation as Proposed

HAZARDS:

- CDM2015
1. Live services adjacent/on site.
 2. Excavations - Ground Collapse
 3. Handling major components
 4. Working at height - Falling
 5. Machinery & Equipment
 6. Ensure all blockwork has a minimum crushing strength of 3.5N/mm²
 7. The weight of each block must not exceed 20Kg

REV	DATE	DETAILS

REVISIONS:

CLIENT:
Mandale

PROJECT:
Smallways Country Inn

DRAWING TITLE:
Proposed North and West Elevations

PURPOSE OF ISSUE:
PLANNING

SCALE: 1:100 @ A3

DATE: NOV 2023	DRAWN:HL	DRG REVISION:
DRAWING NO: L023111 - 008		-